



Peripheral Manufacturing, Inc.
4775 Paris St
Denver, CO 80239

Toll Free #: 1-800-468-6888

1/3

DEGAUSSER QUOTATION AND BROCHURE

Thank you for contacting Peripherals.

Peripheral Manufacturing Inc. is a 26-year-old company specializing in Fire Suppression Equipment for Computer Rooms, Magnetic Media, Computer Room Air Conditioners, Tape Degaussers, Tape Storage Racks and Cases, CD/Disk/Credit Card Shredders, DLT Tape Labels, and Tape Duplication and Conversion.

V660HDD Evo - HARD DISC DRIVE DEGAUSSER

Call for Current Pricing

Change in electrical requirement other than 110V 125.00

Warranty: 26 months

Shipping: FOB Denver, CO

I also included some general information about degaussing and the different coercivity strength of most magnetic media products. The chart will help in selecting the proper Degausser to fit your needs.

Thank you once again. If you have any questions please give me a call.

Regards,
Ron Carboy

Visit our web sites for more information or call at 1-800-468-6888.

www.Periphman.com

www.Portable-Airconditioner.com

www.DltTapeCleaner.com

Picture and Specifications on Page 2 and 3



The V660 HDD Evo is a high energy, bulk eraser especially designed to tackle the erasing of hard drives.

Hard Disk Drives

The vulnerability of information stored on PC hard drives is a recognised security risk. Unlike other PC data storage media, the hard drive always stays with the PC. Every time a PC leaves a company's control, all the data and company information will go with it. Even if the hard drive breaks down, the storage platters will still contain information which could be read once repaired. The V660 degausser is the surest and quickest way of eliminating information from hard drives. Although in most cases this will render the hard drive inoperative, the cost of a replacement hard drive cannot be compared to the cost to a company if sensitive information can be read by a third party.

Operation

Hard disk drives are placed into the V660 eraser, the lid is closed and the degauss button pressed. As hard disk drives are erased in a single pass, very little user intervention is required

Safety

With safety in mind and to meet the latest NCNIRP Magnetic Exposure Guidelines, the V660 can be operated remotely via the infrared control. The unit can be locked in the manual or remote operation position by removing the key.

Features:

- Effectively erases hard drives
- No need for operator to handle during degaussing
- 5 second erase cycle
- Remote control or manual operation
- High energy for complete erasure
- Table top design
- Cost effective

Compatible media:

Hard Disk Drives, PC HDD, PC Hard Drives



V660 HDD Degausser Specification:

Degaussing Force	6600 peak
Media Erased	Hard Disk Drives
Indicators	Coil power supply warning light On/Off Erase Field
Controls	Mains ON/OFF switch. Manual/remote key switch
Throughput:	70 Hard Disk Drives (per duty cycle)
Duty Cycle:	Non- continuous. Average 10 minutes
Operational Voltage:	220/240 volts 50Hz, 110/115 volts 60Hz,
Current Rating:	9 amps typ.
Dimensions:	Height 6" (150mm) Width 16.5" (420mm) Depth 19" (480mm)
Weight:	77lbs (35kg)
Warranty:	26 months back to base, all parts and labor included.

Please note the following suggestions when using a Degausser:

Watches:

Remove your wristwatch when using the Degausser. Direct exposure to the magnetic field may damage some watches.

Magnetic Strip Cards:

Do not place your wallet or purse containing credit or phone cards directly on or above the conveyor belt. Magnetic strip cards are very easy to erase. However, having a wallet in your back pants pocket while using the Degausser will not erase the cards

Tape storage:

Store videotapes you do not intend to erase approximately four feet from the Degausser. This will eliminate the opportunity for the operator to accidentally run "good" tapes through the Degausser.

Placement of Tapes:

When erasing tapes, place them on the left edge of the belt (as you face the machine). In order they may travel the full length of the conveyor belt for quality erasure.

Pacemakers:

Do not operate the Degausser if you have a pacemaker.